



12big rack fibre/serial

Drive Installation

Installation du disque • Installazione dell'unità • Laufwerksinstallation

Instalación de la unidad • Drive-installatie • Instalação da Unidade



Quick Install Guide

Guide d'installation rapide

Guida d'installazione rapida

Installationsanleitung

Guía de instalación rápida

Snelle installatiegids

Guia de Instalação Rápida

EN English: page 1

FR Français: page 2

IT Italiano: pagina 3

DE Deutsch: seite 4

ES Español: página 5


NL Nederlands: pagina 6

PT Português: página 7

EN English

1.1. Installing Drives

CAUTION: All drive bays must be fitted with either a drive carrier or dummy carrier module. No bays should be left empty.



1. Ensure the anti-tamper lock is disengaged (see Figure 2).




Figure 1: Drive Anti-Tamper Lock

2. Release the carrier handle by pressing the latch in the handle towards the right and insert the carrier into the enclosure.
3. Gently slide the carrier all the way into the enclosure until it is stopped by the camming lever on the right of the carrier (see Figure 3).




Figure 2: Installing a Drive Carrier (1)

4. The camming foot on the base of the carrier will engage into a slot in the enclosure. Continue to push firmly until the handle fully engages. A click should be heard as the latch engages and holds the handle closed (see Figure 4).




Figure 3: Installing a Drive Carrier (2)

5. Carefully insert the anti-tamper lock key provided into the cutout in the handle and rotate the key in a clockwise direction until the red indicator is visible in the aperture beside the key (see Figure 2).